



FEATURES

- Compact Ball Camera
- 2.07 Mega pixels Full HD SONY CMOS Color camera
- 1/2.8" Color CMOS high resolution image sensor (STARVIS)
- HD-TVI 4.0, 1080P/30fps
- IP69K Waterproof Rating
- Built-in Infra Red LEDs
- IR LED ON/OFF function (via loop wire)
- Diagonal 130° viewing angle
- Normal/Mirror Image adjustable
- Built-in Microphone (for one-way audio)
- Multi purpose (Frontview, Sideview, Rearview, Surveillance, etc)
- Built-in Automatic Heater (below +10°C)
- Anti-corrosive 3-fold coating
- Temp. -40°C ~ +80°C
- Vibration resistant (10G)
- Waterproof screw type connector, 4-pin mini-DIN
- ECE R10.05 approved (EMC)

Optional versions of model MXN22C-130-TVI:

MXN22C-160-TVI 160°(D) x 133°(H) x 69.0°(V)

MXN22C-078-TVI 78°(D) x 70.0°(H) x 39.0°(V)

MXN22C-040-TVI 40°(D) x 37.0°(H) x 22.0°(V)

MXN22C-020-TVI 20°(D) x 19.0°(H) x 13.0°(V)

Specifications

Image Sensor	1/2.8" SONY CMOS Sensor (STARVIS)
Effective Pixels	2.07 Mega pixels 1920(H) X 1080(V)
Resolution	1080 TV lines
S/N ratio	Minimum 45dB (at AGC off)
Scanning System	Progressive
Video Output	HD-TVI 4.0, 1080P/30fps
Minimum illumination	0 Lux (IR LEDs on)
Power range	DC 9 ~ 48V
Power consumption	DC 12V, 265mA (heater on)
	DC 12V, 165mA (heater off)
Operating temperature	DC 12V, 165mA (heater off)
Viewing angle	130°(Diagonal) x 120°(Horizontal) x 66°(Vertical)
Dimensions	Ø52mm, 72(W) x 52(D) x 63(H) incl. bracket
Weight	Approx. 215g